





LIVING · ART · SCIENCE



PLATFORM

CONTENTS






















MUTE SWITCH



CLICK SWITCH







































PRODUCT DESCRIPTION









PRODUCT DESCRIPTION

D8B Metallic touch switch

- Material: Metal aluminum plate
- Switch category: Metal backlit touch sensor switch (with buzzer)
- Product Size: 86x86mm ☐ Input voltage: 220VAC/DC12V
- Protocol: Low current 485, high current 485, 220V strong current, strong current interconnection and mutual control, weak current dry node, KNX bus, rf433
- ♠ Installation Standard : international standard

















D PLATFORM SWITCH CONTROL SOLUTION

Light control switch



Situational mode switch



According to the need to set their own home, away from home, guests, parties and other scenarios, one-click more convenient, to provide personalized home experience


D PLATFORM SWITCH CONTROL SOLUTION

Dimmer switch

With the use of the host, suitable for a variety of dimmable lamps, the construction of different atmospheres, gradually dark light switching, to the eyes and lamps more



Curtain switch





Full screen air conditioner thermostat



Full screen floor heating controller



Full screen temperature control three in one



GT Knob thermostat



Full knob thermostat



Full screen new risk control system




G1 thermostat




D PLATFORM SWITCH CONTROL SOLUTION

Free stickers Radio remote control switch




Dry battery (no. 5) Wireless remote control switch (built-in)







D8B



Other













MACROPLATE METAL SWITCH



























PRODUCT DESCRIPTION



D9 Metal backlit touch sensor switch

- Material: Metal aluminum plate
- Switch category: Metal backlit touch sensor switch (with buzzer)
- Product Size: 86x86mm
- Protocol: Low current 485, high current 485, 220V strong current, strong current interconnection and mutual control, weak current dry node, KNX bus, rf433
- Installation Standard: International standard


















CROSS DIVIDING LINE METAL TACT SWITCH



D9S metal cross tact switch

- Material: Metal aluminum plate
- Switch category: Metal backlit touch sensor switch (with buzzer)
- Product Size: 86x86mm
- Protocol: Low current 485, high current 485, 220V strong current, strong current interconnection and mutual control, weak current dry node, KNX bus, rf433
- Installation Standard: International standard
















CROSS DIVIDING LINE PLASTIC TACT SWITCH













D8S plastic cross tact switch

- Material: Plastic
- Switch category: Plastic switch (with buzzer)
- Product Size: 86x86mm
- Protocol: Low current 485, high current 485, 220V strong current, strong current interconnection and mutual control, weak current dry node, KNX bus, rf433
- Installation Standard: International standard




















PRODUCT DESCRIPTION



D5 glass switch

- Material: plexiglass
- Switch category: glass switch
- Product Size: 86x86mm
- Protocol: Low current 485, high current 485, 220V strong current, strong current interconnection and mutual control, weak current dry node, KNX bus, rf433
- Installation Standard: International standard























(a) (b)



Other L—p—n * B B C S S B M A V CNO W ▼ * 151. NEC.

D PLATFORM SWITCH FUNCTION MODULE





D PLATFORM MODULE MATERIAL AND COLOR

